

Q1400

# Bataavian Batiks

FREE  
PATTERN  
OFFERED  
IN INDEPENDENT  
QUILT SHOPS TO  
COMPLEMENT THIS  
FABRIC COLLECTION.

Finished Quilt Size: 67" x 83"



Fabric B  
22000-476  
2/3 yard

Fabric I  
*(Binding only)*  
22007-823  
2/3 yard



Fabric Q  
22011-888  
5/8 yard

Fabric T  
22013-386  
2/3 yard



Fabric Y  
*(Backing only)*  
22016-386  
4 1/2 yards



*Notes: All other 30 patterns (listed below)*

**1/4 yard fabric needed**

**1/3 yard fabric needed**

**1/2 yard fabric needed**

- A-22000-386    O-22010-883
- C-22001-646    R-22012-333
- D-22002-476    S-22012-444
- E-22003-646    U-22013-476
- F-22004-476    W-22015-776
- G-22005-386    Z-22017-476
- H-22006-476    AA-22018-588
- J-22008-386    DD-22020-646
- M-22010-476    GG-22021-823

- L-22009-386
- N-22010-776
- V-22014-588
- CC-22020-386
- HH-22022-757

- K-22008-823
- P-22011-776
- X-22015-823
- BB-22019-775
- EE-22020-823
- FF-22021-776
- II-22022-823

# Batavian Batik

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

## 1. Cut the following:

### Block #1:

- Fabrics O, Q, BB** - cut 1 - 3 1/2" strip  
**Fabrics A, GG** - cut 1 - 3 1/2" strip, subcut 10 - 3 1/2" squares  
**Fabrics D, F, J, S, W, AA, DD** - cut 2 - 2" strips  
**Fabrics O, Q** - cut 1 - 2" strip  
**Fabrics K, X, EE, II** - cut 1 - 9 1/2" strip, subcut 10 - 3 1/2" x 9 1/2" rectangles

### Block #2:

- Fabrics L, N, Q, V, CC, FF, HH** - cut 2 - 3 1/2" strips  
**Fabrics C, E, H, M, U, Z** - cut 1 - 3 1/2" strip  
**Fabrics G, R** - cut 2 - 2" strips  
**Fabric BB** - cut 4 - 2" strips  
**Fabrics A, FF** - cut 1 - 2" strip


- Fabric B** - Borders - cut 8 - 2" strips, sew end to end then subcut 2 - 2" x 75 1/2" and 2 - 2" x 63 1/2"  
**Fabric I** - Binding - cut 8 - 2 1/4" strips, sew end to end and press in half  
**Fabric P** - Zinger - cut 8 - 1 1/4" strips, sew end to end to end and press in half  
**Fabric T** - Borders - cut 8 - 2 1/4" strips, sew end to end then subcut 2 - 2 1/4" x 78 1/2" and 2 - 2 1/4" x 67"

## 2. Piecing Order:

1. Make 20 - 3" finished (3 1/2" unf.) **AA/S** 4-patches.  
 First, make 2 strip sets by sewing **AA** and **S** 2" strips side by side. Press toward the darker fabric. Subcut 40 - 2" segments. Sew segments together according to the diagram for 20 4-patches.




2. Make 20 - 3" finished (3 1/2" unf.) **F/J** 4-patches.  
 First, make 2 strip sets by sewing **F** and **J** 2" strips side by side. Press toward the darker fabric. Subcut 40 - 2" segments. Sew segments together according to the diagram for 20 4-patches.



3. Make 20 - 3" finished (3 1/2" unf.) **DD/W** 4-patches.  
 First, make 2 strip sets by sewing **DD** and **W** 2" strips side by side. Press toward the darker fabric. Subcut 40 - 2" segments. Sew segments together according to the diagram for 20 4-patches.




4. Make 10 - 3" finished (3 1/2" unf.) **D/Q** 4-patches.  
 First, make 1 strip set by sewing **D** and **Q** 2" strips side by side. Press toward the darker fabric. Subcut 20 - 2" segments. Sew segments together according to the diagram for 10 4-patches.




5. Make 10 - 3" finished (3 1/2" unf.) **D/O** 4-patches.  
 First, make 1 strip set by sewing **D** and **O** 2" strips side by side. Press toward the darker fabric. Subcut 20 - 2" segments. Sew segments together according to the diagram for 10 4-patches.




6. Sew **O, BB, Q** 3 1/2" strips side by side. Press toward **O** and **Q**. Subcut 10 - 3 1/2" segments.



7. Make 10 - 15" finished (15 1/2" unfin.) **BLOCK #1**.  
 First, make block center by sewing rows together according to the diagram.




Next, sew 4-patches to both ends of **K** and **EE** 3 1/2" x 9 1/2" rectangles according to the diagrams.




Sew **X** 3 1/2" x 9 1/2" to the left side of the center and sew **II** 3 1/2" x 9 1/2" to the right side of the center.


Then, sew **K** row to the TOP and sew **EE** row to the BOTTOM according to the diagram.



8. Make 20 - 3" finished (3 1/2" unfin.) **G/BB** 4-patches.  
 First, make 2 strip sets by sewing **G** and **BB** 2" strips side by side. Press toward the darker fabric. Subcut 40 - 2" segments. Sew segments together according to the diagram for 20 4-patches.



9. Make 20 - 3" finished (3 1/2" unfin.) **R/BB** 4-patches.  
 First, make 2 strip sets by sewing **R** and **BB** 2" strips side by side. Press toward the darker fabric. Subcut 40 - 2" segments. Sew segments together according to the diagram for 20 4-patches.



10. Make 10 - 3" finished (3 1/2" unfin.) **A/FF** 4-patches.  
 First, make 1 strip set by sewing **A** and **FF** 2" strips side by side. Press toward the darker fabric. Subcut 20 - 2" segments. Sew segments together according to the diagram for 10 4-patches.



11. Sew **N, Z, L** 3 1/2" strips side by side. Subcut 10 - 3 1/2" segments for Row 1.

Sew **FF, CC, C, HH, Q** 3 1/2" strips side by side. Subcut 10 - 3 1/2" segments for Row 2.



Sew **V** and **M** 3 1/2" strips side by side. Subcut 10 - 3 1/2" segments for Row 3.

Sew **U** and **V** 3 1/2" strips side by side. Subcut 10 - 3 1/2" segments for Row 3.



Sew **Q, HH, E, CC, FF** 3 1/2" strips side by side. Subcut 10 - 3 1/2" segments for Row 4.

Sew **L, H, N** 3 1/2" strips side by side. Subcut 10 - 3 1/2" segments for Row 5.

Arrows indicate pressing directions.



11. cont.



13. Sew quilt center together by rows alternating **Blocks #1** and #2 according to the diagram on the next page. Individual blocks may be rotated so refer to colored cover picture.


14. Sew **B** 2" borders around the quilt, **SIDES** first, then **TOP** and **BOTTOM** borders.

15. A zinger or flange is a folded strip of fabric that is sewn on top of a block or border for added dimension and contrast. Sew **Fabric P** zinger on **B** borders by matching folded raw edges of **P** with **B** (take a slightly narrow seam, allowance), sew **SIDES** first, then **TOP** and **BOTTOM** strips.


16. Last, sew **T** 2 1/4" borders around the quilt, **SIDES** first, then **TOP** and **BOTTOM** borders.

17. The quilt measures approximately 67" x 83". Make backing (**Fabric Y**) at least 6" larger than the top. Layer and baste top, batting and backing together. Quilt as desired. Attach binding (**Fabric I**) and enjoy!!

12. Make 10 - 15" finished (15 1/2" unf.) **BLOCK #2** by sewing rows together according to the diagram.




=







T 2 1/4" x 67"

P zinger

B 2" x 63 1/2"



P zinger



B 2" x 63 1/2"

P zinger

P zinger

B 2" x 75 1/2"

T 2 1/4" x 78 1/2"

T 2 1/4" x 67"

T 2 1/4" x 78 1/2"

B 2" x 75 1/2"